



Your tagged #@fish




Tagging



Found: march 2024 → Schol, 28 maart 1990 in de Dollard

Tagging

- Pittag: life span, high detection rates, minimal impact, high numbers, small fish/life stages



- Acoustic: large scale tracking, fine scale multi-D tracking, added sensor data, versatility



- Radio

Tagging, some practical points


Workplace, network, tagging



Tagging, some practical points

Workplace, network, tagging

Combined telemetry



- Cooperation with management organizations essential
- Research using pittag systems needs multiple years



Tagging, some practical points

Workplace, network, tagging



Jaarlijks dierproef-tagging symposium VHL/SN



Tagging, some practical points

Do not discard “simple” fike net sampling!



Ecological

Fish passes, Wadden sea scale, predation, habitat use



Zee ← → Polder

Schuif

Schuif

IPC

Ecological

Fish passes, Wadden sea scale, predation, habitat use

Multiple fish passes and locations

- ★ Pit antennae
- ★ Fyke net



Ecological


Fish passes, Wadden sea scale, predation, habitat use

Multiple fish passes and locations



Ecological


Fish passes, Wadden sea scale, predation, habitat use



Ecological

Fish passes, Wadden sea scale, predation, habitat

Jaar van taggen



Swimway-
symposium!

Take home message

Moving forward

- Evaluating a single fish pass is valuable → Multiple “points” in polder and riverine scale provides cumulative insights
- Using pit or acoustic telemetry is very valuable → combination of both in polder, riverine, estuarine and marine scale
- Cumulative value of networks (pit and acoustic) (1+1=3)
- European Pit Tagging Network

Thank you